

BLACKLINE

The conductive SGL-standard stackable container of the Blackline range conforms to the requirements of the Swiss Logistics Association (Schweizerische Gesellschaft für Logistik, SGL). It is extremely well-suited for the consignment, storage and protection of electronic components during manual and mechanical handling. There are about 20 different sizes and a multitude of variants and the Blackline range is designed for industrial use. The thick-walled and extremely robust and dimensionally stable design will protect your parts for years.



Available sizes

Basic dimensions (L×W in mm)	External height (mm)						
200×150	100	145					
300×200	53	101	145				
400×300	53	101	145	212	278	320	
600×400	56	101	145	212	278	320	412

(depending on the base design, external height +3/+6 mm)

Special types

All non-stock items are marked thus and available on request only.



ESD version




Every Blackline container carries the ESD logo and has a surface resistance of $\leq 10^4$ Ohm.



Tip

The Blackline range offers comprehensive systems for the appropriate handling of printed circuit boards. Find out more in the following sections:

1. PCB Holders
2. Printorama
3. Rack-System 100
4. Rack-System 180



Base types



Closed flat base 007

Side wall types



Closed wall

Grip types




Shell grip



Handle strip

(some versions have other base types)

Standard colour




Colour code 992

Black ESD

Blackline accessories

The Blackline range includes not only plastic containers but also the appropriate lids and cases. Dividers, labelling and marking, insert boxes and rollboys for easier transport complement the range.

Dividers



Lids



Foam




Insert boxes



See section:
Containers for Small Parts

Labelling



See section:
Labelling

Rollboys



See section:
Store Organisation

Marking (Printing)

On request, hot embossing in the following colours can also be used to customise the design of the containers of the Blackline range:

						
White 69/77	Yellow PA 973	Orange P963	Green 78/603	Red 70/60	Orange 74/60	Blue 83/60

